

# **Gastroscopy Information & Consent**

## What is a Gastroscopy?

Gastroscopy is a procedure used to examine the oesophagus, stomach and duodenum (the first segment of small bowel). A specialized flexible tube (gastroscope) is used which contains a camera & light source. The gastroscope approximates the thickness of your index/pointer finger. Gastroscopy may involve taking small samples from the lining of your upper gut (biopsies). You will not feel the biopsies.

### How are you prepared?

No food can be consumed for 8 hours prior to your procedure. Clear fluids/water may be taken until 2 hours before scheduled time of arrival at hospital. Required medication(s) may be taken with a sip of water on the morning of the procedure.

Diabetics will be given special instructions. The procedure will be conducted while a specialist anaesthetist comfortably sedates you. Should you wish to undergo this procedure without sedation please discuss this with attending doctor.

#### **Safety and Risks:**

Complications of gastroscopy are rare and occur in approximately 1 in 2000 examinations. Complications related to the anaesthetic drugs may occur, but are rare. The gastroscope may cause trauma to the mouth, throat and rarely dental damage may occur. Perforation (making a hole in the gullet) is a rarity, but if it occurs may require an operation to fix it. Death following anaesthetic or gastroscopic complications is extremely rare (1 in 20000 – mainly in elderly or frail patients). Please advise your doctor if you're taking any medication that thins your blood.

#### **Alternatives:**

Radiological investigations (barium swallows/meals, CT or ultrasound) can be used to image the upper gut. Whilst these procedures can be used to assess the upper gut, they are generally less sensitive at detecting diseases & don't allow the taking of biopsies.

#### **Afterwards:**

You will likely feel fatigued and tired for the remainder of the day. Don't plan to return to work or participate in any official/formal roles. **Do not drive** for 12-hours after your procedure. Someone will need to collect & preferably stay with you overnight. You should be fit to return to work the following day.

#### **Consent:**

I have read and understood this information and had the opportunity to ask questions. I agree	to
proceed with gastroscopy (and intervention if deemed necessary).	

Signed	 	 
Date	 	